Relentless pursuit of performance



Official Team Partner







Revolutionary A4 single and multi-function business printers

These WorkForce business inkjet printers combine ultra high-quality colour output with ultra-low energy consumption that only inkjet can offer.

These environmentally smart business printers are capable of delivering superb print quality at 4800 x 1200 dpi, and high capacity DURABrite Pro ink cartridges deliver more printed pages from fewer supplies to help reduce your cost of printing.

Epson's advanced PrecisionCore printhead technology has the flexibility required to make WorkForce possible, thanks to its use of liquid ink. This promotes space-saving supplies, low power consumption* and reduces environmental impact.

WorkForce business printers: Where quality meets efficiency




Efficiency champion

Reduce the environmental impact of print with a low power solution that uses fewer supplies, without affecting output quality.

The WorkForce range uses up to 87% less energy* when printing compared to an average laser printer. It not only lowers electricity costs, but also requires fewer supplies. The simple printing process and high page yield inks reduce downtime, keeping your business productive.

With low waste production and few maintenance parts, you are not only benefiting from a printer that generates less electricity when printing, but also reduces CO₂ emissions. Power, efficiency and speed come together in a space saving design, making it easy to locate conveniently in your office.



Complex technology using heat and pressure




Simple cool, contactless technology



Epson PrecisionCore print technology uses no heat in the printing process, saving up to 87% in printer-related electricity costs compared to laser printers, and at the same time reducing CO_2 emissions. You can find out exactly how much by using our on-line calculator:

By elin printing me sent to bw uptime

By eliminating fusers, drums and developers from the printing process, Epson reduces the amount of consumables sent to landfill. It also reduces user intervention, maximises uptime and boosts staff productivity.



Advanced integration improves workflow

Take advantage of remote management, customise your print options and enjoy seamless compatibility with a wide range of tools and software that can be integrated into your existing IT infrastructure to improve productivity and increase efficiency.

Epson Print Admin



Document Capture Pro



Boost productivity and monitor print usage via a server-based solution that creates a secure printing, scanning and copying environment through user-authentication.

Epson Device Admin

Control, analyse and manage your printer fleet centrally from one intuitive interface, designed to increase productivity and reduce costs.

Mobile and cloud printing

Turn your tablet or smartphone into a powerful office assistant. Epson's mobile and cloud printing services allow you to print and scan wirelessly using smartphones and tablets in the office and on the go.

The WorkForce range of printers are Document Capture Pro compatible, making it easy to seamlessly and locally manage documents. Document Capture Pro integrates into document management and cloud storage systems, enabling you to capture, enhance, edit and distribute scanned documents effectively throughout your business.

Epson Open Platform (EOP)

Gain complete control of your printing operations via a range of partner solutions, such as PaperCut®, that enable you to adapt the WorkForce range of printers to meet specific and changing business requirements. All these solutions help you better manage your office printing.

Epson Innovation and Design

Designed for Productivity

What's better, a few big copiers or one fast central copier and several smaller devices? It really boils down to two things – how far the copiers are located from your staff, and the cost-effectiveness of the smaller devices. The new range of Epson A4 devices is designed with a compact footprint and low cost of ownership so you can place them close to workgroups, and increase staff productivity without impacting your overall cost of printing.

Designed for Business

PrecisionCore inkjet printing technology is at the heart of the range of Epson business printers. It enables a wide range of features specifically designed for business – compact design, front paper exit for easy access, zero second warm-up time so there's no waiting for staff or customers, and no-heat printing, which allows devices to be located in tight spaces without the threat of overheating or overpowering ozone.



The size of your business – small, medium or large – or your type of business – retail, education, hospitality, legal, finance – doesn't matter. Epson's range of A4 printers is designed to help your business grow.

Designed for Flexibility

Flexibility is not usually a word associated with office printing but Epson has designed flexibility into their range of business printers. One moment they can be great general office printers helping drive productivity and lower your business costs, the next they can be producing high quality sales and marketing collateral that will blow you and, more importantly, your prospective customers away. You no longer need to print brochures in bulk at a local print shop; print them in-house and on-demand to preserve cashflow.

And if that's not enough, the Epson WorkForce printers also print on labels and envelopes, making them the perfect all-rounders.





| | <u> </u> | | | |
|---|---|--|--|--|
| Model number | Epson WorkForce Pro WF-M5299 | Epson WorkForce Pro WF-M5799 | | |
| Single or multi-function, mono or colour | Single-function mono | Multi-function mono | | |
| Print method / max resolution | PrecisionCore™ / 4800 x 1200 dpi | PrecisionCore™ / 4800 x 1200 dpi | | |
| Print speed draft / simplex / duplex (ISO) ¹ | up to 34 ppm / 24 ppm / 15 ppm duplex | up to 34 ppm / 24 ppm / 15 ppm duplex | | |
| Warm-up time / first page out (mono:colour) | 0 seconds / 4.8 seconds : n/a | 0 seconds / 4.8 seconds : n/a | | |
| Printer control language emulations | PCL5, PCL6, Postscript 3, Epson ESC/P®-R | | | |
| Monthly duty cycle max / recommended ² | 45,000 / 2,500 pages 45,000 / 2,500 pages | | | |
| | | | | |
| Paper handling input | Standard 330 sheets (250 sheets and 80 sheets rear feed or 10 envelopes). Max 830 sheets (add optional 500 sheet feeder) | | | |
| Paper weights: cassette / bypass | 64 to 256 gsm | / 64 to 256 gsm | | |
| Automatic doc feeder (ADF) | n/a | 50 sheets | | |
| Output | 150 sheets | 150 sheets | | |
| Page sizes (min – max) | 3.5" x 5", 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", 8.5" x | 14", A4, A6, half letter, executive (3" x 5" – 8.5" x 47") | | |
| Paper and envelope types ³ | Premium Presentation Paper Matte Double-sided, Epson Ph | aper Matte, Epson Premium Presentation Paper Matte, Epson noto Glossy, Epson Premium Photo Paper Glossy, Epson Ultra Im Photo Paper Semi-gloss. Envelope No. 10. | | |
| Connectivity printer interfaces ⁴ | Hi-Speed USB, Wireless LAN, WiFi-Direct, Wired Ethernet (10/100/1000 Base-T) | | | |
| Network Protocols / Print Protocols | TCP / IP v4 / v6 / IPP, LPD, Port 9100, WSD | | | |
| Network Management Protocols / WLAN Security | SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, Ping, SLP, WSD, LLTD / WEP 64 bit, 128 bit, WPA PSK (AES) | | | |
| Mobile and remote printing ⁵ | Apple® AirPrint®, Google Cloud Print™, Fire™ OS, Epson I | Email Print, Epson iPrint Mobile App™, Epson Remote Print | | |
| Operating systems | Windows® 10 (32, 64-bit), Windows 8 (32, 64-bit), Windows 7 (32, 64-bit), Windows Vista® (32, 64-bit), Windows XP SP3 (32-bit), Windows XP Professional x64 Edition, Windows Server 2012R2 ⁶ , Windows Server 2012 ⁶ , Windows Server 2008 R2 ⁶ , Windows Server 2008 ⁸ , Windows Server 2003R2 ⁶ , Windows XP Server 2003R2 ⁶ , | | | |
| Solutions and security | Solutions: Open Platform supports 3rd party applications such as PaperCut®, and includes Epson Document Capture Pro software Security: PIN release, user control access, SSL/TLS, IPsec | | | |
| Display | 2.4" colour LCD | 4.3" colour LCD | | |
| Energy rated voltage / frequency / current | AC 100-240V (universal auto | matic) / 50-60 Hz / 0.9 - 0.5 A | | |
| Power off / sleep / standby / printing : TEC value | 0.2 / 1.1 / 7.0 / 23 watts : TEC 0.2 kWh | 0.2 / 1.4 / 10 / 23 watts : TEC 0.2 kWh | | |
| Temperature / humidity / safety approvals | Operating: 50 - 95 °F (10 - 35 °C) Storage: -4 - 104 °F (-20 - 40 °C) / Operating: 20–80% Storage: 5–85% (no condensation:) Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPR 22 class B | | | |
| Sound level | Power: 6.9 dB(A) | Pressure: 55 dB(A) | | |
| Country of origin : Telecom regulations | Indonesia: n/a | Indonesia: FCC Part 68 (U.S.A.), IC/CS03 (Canada) | | |
| Weight and dims: W x D x H / weight | 425 x 535 x 357 mm / 14.9 kg | 425 x 535 x 357 mm / 18.3 kg | | |
| Warranty | 1 warranty return-to-base | 1 warranty return-to-base | | |
| What's in the box | Epson WorkForce Pro WF-M5299 printer, power cord, one initial starter ink pack: Black | Epson WorkForce Pro WF-M579999 printer, power cord, one initial starter ink pack: Black | | |
| Consumables: DURABrite Ultra pigment ink – device is designed for use with Epson ink only, not 3rd-party ink8 | C13T957192 XL Black (Yield, ISO pages 10,000), C13T958192 XXL Black (Yield, ISO pages 40,000) | | | |
| Copying ISO copy speed | n/a | 22 cpm (mono) | | |
| Copy quantity / max copy size | n/a | 1 – 999 / 8.5" x 14" | | |
| Copy features | n/a | Auto 2-sided, preview, resize, ID copy, collate, adjustable copy density, remove punched holes, remove shadows | | |
| Scanning Scanner type / size | n/a | Colour flatbed, auto 2-sided ADF, 8.5 x 14" | | |
| Speed | n/a | 24 ipm simplex, 8 ipm duplex | | |
| Optical / hardware / max resolution | n/a | 1200 / 1200 x 2400 / 9600 dpi (interpolated) | | |
| Scanner bit depth | n/a | 48-bit colour input / 24-bit colour output | | |
| Scanner features | n/a | Scan to PC via Document Capture Pro, Cloud ⁹ (inc email), network folder, memory device, password protect PDFs | | |
| Faxing modem | n/a | 33.6 Kbps, as fast as 3 sec per page | | |
| Memory / speed dials / PC fax | n/a | up to 550 pages / max 200 / PC Fax | | |
| 1 ISO mono, colour print speeds are measured in accordance with ISO/IEC 247 | ii 11/24712/24734/29183. Actual print times may vary on factors including system confi | puration, software, and page complexity. | | |

¹ ISO mono, colour print speeds are measured in accordance with ISO/IEC 24711/24712/24734/29183. Actual print times may vary on factors including system configuration, software, and page complexity.

2 Monthly duty cycle up to 45,000 is the highest volume a user could expect in one month, it is not recommended that the device be run consistently at these volumes. For best device performance, run the device at the recommended duty cycle.

3 Not all media types are supported for PCL printing.

4 Wi-Fi CERTIFIED™; level of performance subject to the range of the router being used. Wi-Fi Direct may require printer software.

5 Most features require an internet connection to the printer, as well as an internet-and/or email-enabled device.









| Epson WorkForce Pro WF-C5290 | Epson WorkForce Pro WF-C5790 | WorkForce Pro WF-C529R | WorkForce Pro WF-C579R |
|--|--|--|---------------------------------------|
| Single-function colour | Multi-function colour | Single-function colour | Multi-function colour |
| PrecisionCore™ / 4800 x 1200 dpi | PrecisionCore™ / 4800 x 1200 dpi | PrecisionCore™ / 4800 x 1200 dpi | PrecisionCore™ / 4800 x 1200 dpi |
| up to 34 ppm / 24 ppm / 15 ppm duplex | up to 34 ppm / 24 ppm / 15 ppm duplex | up to 34 ppm / 24 ppm / 15 ppm duplex | up to 34 ppm / 24 ppm / 15 ppm duplex |
| 0 seconds / 4.8 : 5.3 seconds | 0 seconds / 5.0 : 6.0 seconds | 0 seconds / 4.8 : 5.3 seconds | 0 seconds / 4.8 : 5.3 seconds |
| PCL5, PCL6, Postscript 3, Epson ESC/P®-R | | PCL5, PCL6, Postscript 3, Epson ESC/P®-R | |
| 45,000 / 2,500 pages | 45,000 / 2,500 pages | 50,000/4,500 pages | 50,000/4,500 pages |
| Std 330 sheets (250 sheets and 80 sheets rear feed or 10 envelopes). Max 830 sheets (add optional 500 sheet feeder) | | Std 830 sheets (250, 500 sheet feeders, 80 sheets rear feed or 10 envelopes). Max 1,330 sheets (opt 500 sheet feeder) | |
| 64 to 160 gsm / 64 to 256 gsm | | 64 to 256 gsm / 64 to 300 gsm | |
| n/a | 50 sheets | n/a | 50 sheets |
| 150 sheets | 150 sheets | 150 sheets | 150 sheets |
| 3.5" x 5" | , 4" x 6", 5" x 7", 8" x 10", 8.5" x 11", 8.5" x | 14", A4, A6, half letter, executive (3" x 5" - 8 | .5" x 47") |

Plain paper, Epson Bright White Paper, Epson Presentation Paper Matte, Epson Premium P Epson Photo Glossy, Epson Premium Photo Paper Glossy, Epson Ultra Premium Photo Paper Glossy, Epson Premium Photo Paper Semi-gloss. Envelope No. 10.

Hi-Speed USB, Wireless LAN6, WiFi-Direct6, Wired Ethernet (10/100/1000 Base-T)

TCP / IP v4 / v6 / IPP, LPD, Port 9100, WSD

SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, Ping, SLP, WSD, LLTD / WEP 64 bit, 128 bit, WPA PSK (AES)

Apple® AirPrint®, Google Cloud Print™, Fire™ OS, Epson Email Print, Epson iPrint Mobile App™, Epson Remote Print

Windows® 10 (32, 64-bit), Windows 8 (32, 64-bit), Windows 7 (32, 64-bit), Windows Vista® (32, 64-bit), Windows XP SP3 (32-bit), Windows XP Professional x64 Edition, Windows Server 2012R26, Windows Server 2012R26, Windows Server 2003R26, Windows S

Solutions: Open Platform supports 3rd party applications such as PaperCut®, and includes Epson Document Capture Pro software Security: PIN release, user control access, SSL/TLS, IPsec

| 2.4" colour LCD | 4.3" colour LCD | 2.4" colour LCD | 4.3" colour LCD | |
|--|--|--|--|--|
| AC 100-240V (universal automatic) / 50-60 Hz / 0.9 - 0.5 A | | AC 100-240V (universal automatic) / 50-60 Hz / 0.9 - 0.5 A | | |
| 0.2 / 1.2 / 7 / 21 watts: TEC 0.2 kWh | 0.2 / 1.4 / 10 / 23 watts: TEC 0.2 kWh | 0.2 / 1.2 / 7 / 21 watts: TEC 0.2 kWh | 0.2 / 1.3 / 14 / 29 watts: TEC 0.2 kWh | |

Operating: 50 - 95 °F (10 - 35 °C) Storage: -4 - 104 °F (-20 - 40 °C) / Operating: 20-80% Storage: 5-85% (no condensation:)

| Safety standards UL60950, CSA C22.2 No. 60950 EMI FCC Part 15 subpart B class B, CAN/CSA-CEI/IEC CISPR 22 class B | | | | | |
|---|---|--|---|--|--|
| Power: 6.6 dB(A) Pressure: 54 dB(A) | Power: 6.6 dB(A) Pressure: 55 dB(A) | Power: 6.6 dB(A) Pressure: 54 dB(A) | Power: 6.7 dB(A) Pressure: 53 dB(A) | | |
| Indonesia: n/a | Indonesia: FCC Part 68 (U.S.A.), IC/CS03 (Canada) | Indonesia: n/a | Indonesia: FCC Part 68 (U.S.A.), IC/CS03 (Canada) | | |
| 425 x 535 x 357 mm / 15.3 kg | 425 x 535 x 357 mm / 18.4 kg | 425 x 579 x 605 mm / 22.2 kg | 425 x 579 x 605 mm / 25.9 kg | | |
| 1 warranty return-to-base | 1 warranty return-to-base | 1 warranty on-site | 1 warranty on-site | | |
| Epson WF-C5290 printer, power cord, four T902 initial starter ink pack: Black, Cyan, Magenta, Yellow | Epson WF-C5790 printer, power cord, four T902 initial starter ink pack: Black, Cyan, Magenta, Yellow | Epson WF-C529R printer, power cord, four initial starter ink pack: Black, Cyan, Magenta, Yellow | Epson WF-C579R printer, power cord, four initial starter ink pack: Black, Cyan, Magenta, Yellow | | |
| T902 Black (K), Cyan (C), Magenta (M), Yellow (Y) (Black: 3,000, Colour: 3,000 pages). T902XL (Black: 5,000, Colour: 5,000 pages). T902XXL Black: 10,000 pages | | T01C Black, Cyan, Magenta, Yellow (Black: 10,000, Colour: 5,000). T01D Black, Cyan, Magenta, Yellow (Yield, ISO pages – Black: 50,000, Colour: 20,000) | | | |
| n/a | 22 cpm (mono) | n/a | 22 cpm (mono) | | |
| n/a | 1 – 999 / 8.5" x 14" | n/a | 1 – 999 / 8.5" x 14" | | |
| n/a | Auto 2-sided, preview, resize, ID copy, collate, adjustable copy density, remove punched holes, remove shadows | n/a | Auto 2-sided, preview, resize, ID copy, collate, adjustable copy density, remove punched holes, remove shadows | | |
| n/a | Colour flatbed, auto 2-sided ADF, 8.5 x 14" | n/a | Colour flatbed, auto 2-sided ADF, 8.5 x 14" | | |
| n/a | 24 ipm simplex, 8 ipm duplex | n/a | 30 ipm simplex, 60 ipm duplex | | |
| n/a | 1200 / 1200 x 2400 / 9600 dpi (interpolated) | n/a | 1200 / 1200 x 2400 / 9600 dpi (interpolated) | | |
| n/a | 48-bit colour input/24-bit colour output | n/a | 48-bit colour input/24-bit colour output | | |
| n/a | Scan to PC via Document Capture Pro, Cloud ⁵ (inc email), network folder, memory device, password protect PDFs | n/a | Scan to PC via Document Capture Pro, Cloud ⁵ (inc email), network folder, memory device, password protect PDFs | | |
| n/a | 33.6 Kbps, as fast as 3 sec per page | n/a | 33.6 Kbps, as fast as 3 sec per page | | |

⁶ Only printing is supported under Windows Server OS.

n/a

n/a

up to 550 pages / max 200 / PC Fax

up to 550 pages / max 200 / PC fax

⁷ Some applications and/or functions may not be supported under Mac OS X.
8 Replacement ink yields are estimated on ISO/IEC 24711 test in Default Mode printed continuously. Ink yields may vary for reasons including images printed, print settings, temperature and humidity. Yields may be lower. 9 Scan to cloud requires an internet connection, a free Epson Connect account and a destination email address or cloud storage account.





- * Epson WorkForce Pro max power consumption of 25 watts is 87% less than the average of 33 A4 counterpart 21-44 ppm models available in the Australian market as at 1 February 2019, based on manufacturers' own specifications † Ink yields for WF-C529R and WF-C579R models
- [‡] Dualscan speed of 60 images per minute for WF-C579R model

EPSON AUSTRALIA Level 1 3 Talavera Road North Ryde NSW 2113 Tel: (02) 8899 3666 www.epson.com.au ABN 91 002 625 783

EPSON NEW ZEALAND 7/9 Fanshawe Street Auckland 1010 Tel: (09) 366 6855 www.epson.co.nz

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.

V1. April 2021