

Thermal Laminate Catalogue

- General Purpose Film
- Lightweight Film
- Heavier Film
- Photograde Film
- Low Melt Film
- Light Block Film
- BOPP Film
- Specialty Film

AUCKLAND • HAMILTON • PALMERSTON NORTH • WELLINGTON • CHRISTCHURCH • DUNEDIN

freephone: 0508 22 77 83

email: customerservice@aarque.co.nz

TABLE OF CONTENTS

Product

GENERAL PURPOSE FILM

Opti Clear Premium Gloss - 75 Micron (26/49) Saralam Premium Gloss - 75 micron (23/52) Saralam Heavy Duty Premium Gloss - 75 micron (50/25) Saralam Premium Matt - 75 micron (23/52) Saralam Premium Lustre - 75 micron (23/52) Perfex Tigerbond Gloss - 75 micron (25/50) Perfex Tigerbond Matt - 75 micron (25/50)

LIGHTWEIGHT FILM

Opti Clear Gloss - 38 Micron (15/23) Opti Clear Matt - 38 Micron (15/23) Saralam Premium Gloss - 37 micron (12/25) Saralam Premium Matt - 37 micron (12/25) Perfex Premium Crystal Clear Gloss - 38 micron (12/26) Perfex Premium Full Matt - 38 micron (12/26)

HEAVIER FILM

Opti Clear Gloss - 125 micron (75/50) Perfex Premium Digital Ultra Bond PT Gloss - 125 micron (75/50) Saralam Premium Gloss - 250 micron

PHOTOGRADE FILM

Perfex Premium Photograde Gloss - 75 micron (25/50) Perfex Premium Photograde Matt - 75 micron (25/50) Perfex Premium Photograde Gloss - 80 micron (50/30) Perfex Premium Photograde Matt - 80 micron (50/30) Perfex Premium Photograde Gloss - 100 micron (50/50) Perfex Premium Photograde Matt - 100 micron (50/50) Perfex Standard Photograde Matt - 125 micron (25/100) Perfex Standard Photograde Gloss - 250 micron (50/200) Perfex Standard Photograde Matt - 250 micron (50/200) Standard Photo Clear Gloss - 250 micron (50/200) 4

1-2

3

TABLE OF CONTENTS

Product

LOW MELT FILM

Octiva Low Melt Light Crystal - 125 Micron (50/75)

LIGHT BLOCK FILM

Opti Light Block - 262 micron (162/100)

BOPP FILM

Lamipro Thermal Polypropylene Laminating Film Gloss - 24 micron Lamipro Thermal Polypropylene Laminating Film Matt - 27 micron Alphapro Gloss - 24 micron Alphapro Matt - 25 micron Alphapro Matt Hard Coat - 30 micron Alphapro Silk - 34 micron Polynex Tigerbond Gloss - 40 micron Polynex Tigerbond Matt - 40 micron

SPECIALTY FILM

Sarafil Polyester Backing Film - 12 micron Sleeking Fusing Foil Heat Transfer Film Gloss - 25 micron Sleeking Fusing Foil Heat Transfer Film Metalic - 25 micron Supermelt Gloss - 25 micron Supermelt Matt - 25 micron



Page

7

8-10

11



CALL TOLLFREE : 0508 22 77 83

GENERAL PURPOSE FILM

Opti Clear Premium Gloss - 75 Micron (26/49)

A popular premium laminating film. This film has good adhesion and good clarity with a polyester content of 33%.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|---------------|---------------|---------------|------|
| FAC0750750320 | 320 | 75 | 58 |
| FAC0751001395 | 1395 | 100 | 58 |

Saralam Premium Gloss - 75 micron (23/52)

A clear polyester laminating film that is suitable for photographs and media with good adhesion and clarity. A popular premium copy shop laminating film. Not generally recommended for digital prints if an aggressive adhesive is required.

| | WIDTH | LENGTH | |
|------------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FSPC75M31710058 | 317 | 100 | 58 |
| FSPC75M31715058 | 317 | 150 | 58 |
| FSPC75M31730058 | 317 | 300 | 58 |
| FSPC75M34730058 | 347 | 300 | 58 |
| FSPC75M44530077 | 445 | 300 | 77 |
| FSPC75M45715058 | 457 | 150 | 58 |
| FSPC75M63510058 | 635 | 100 | 58 |
| FSPC75M63515058 | 635 | 150 | 58 |
| FSPC75M69015058 | 690 | 150 | 58 |
| FSPC75M76015058 | 760 | 150 | 58 |
| FSPC75M79010058 | 790 | 100 | 58 |
| FSPC75M79015058 | 790 | 150 | 58 |
| FSPC75M96510058 | 965 | 100 | 58 |
| FSPC75M100010058 | 1000 | 100 | 58 |
| FSPC75M100010077 | 1000 | 100 | 77 |
| FSPC75M104010058 | 1040 | 100 | 58 |
| FSPC75M104010077 | 1040 | 100 | 77 |
| FSPC75M127010077 | 1270 | 100 | 77 |
| FSPC75M130010077 | 1300 | 100 | 77 |
| FSPC75M140010077 | 1400 | 100 | 77 |
| FSPC75M155010077 | 1550 | 100 | 77 |

Saralam Heavy Duty Premium Gloss - 75 micron (50/25)

Provides a high quality gloss finish and clarity suitable for photos and media that require a stiffer and more professional look. Not generally recommended for digital prints if an aggressive adhesive is required.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| FSHDC75M24020058 | 240 | 200 | 58 |
| FSHDC75M275100077 | 275 | 1000 | 77 |
| FSHDC75M3177558 | 317 | 75 | 58 |
| FSHDC75M31715058 | 317 | 150 | 58 |

AARQUEGROUP PARTNER OF CHOICE

CALL TOLLFREE : 0508 22 77 83

GENERAL PURPOSE FILM

continued.

Saralam Premium Matt - 75 micron (23/52)

A clear polyester laminating film that is suitable for photographs and media. It will provide a non reflective surface to images although there may be some loss of sharpness compared with a gloss laminating film. Not generally recommended for digital prints if an aggressive adhesive is required.

| | WIDTH | LENGTH | |
|------------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FSPM75M31710058 | 317 | 100 | 58 |
| FSPM75M31715058 | 317 | 150 | 58 |
| FSPM75M32030058 | 320 | 300 | 58 |
| FSPM75M45715058 | 457 | 150 | 58 |
| FSPM75M63515058 | 635 | 150 | 58 |
| FSPM75M79010058 | 790 | 100 | 58 |
| FSPM75M79015058 | 790 | 150 | 58 |
| FSPM75M96510058 | 965 | 100 | 58 |
| FSPM75M96510077 | 965 | 100 | 77 |
| FSPM75M100010058 | 1000 | 100 | 58 |
| FSPM75M100010077 | 1000 | 100 | 77 |
| FSPM75M104010058 | 1040 | 100 | 58 |
| FSPM75M104010077 | 1040 | 100 | 77 |
| FSPM75M140010077 | 1400 | 100 | 77 |

Saralam Premium Lustre - 75 micron (23/52)

A semi gloss polyester film with a matt like appearance. Not generally recommended for digital prints if an aggresive adhesive is required.

| | WIDTH | LENGTH | |
|-----------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FSPL75M31715058 | 317 | 150 | 58 |

Perfex Tigerbond Gloss - 75 micron (25/50)

A quality gloss film designed for maximum adhesion to digitally printed surfaces.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| FPXTBC75M3177558 | 317 | 75 | 58 |
| FPXTBC75M31710058 | 317 | 100 | 58 |
| FPXTBC75M31715058 | 317 | 150 | 58 |
| FPXTBC75M32015058 | 320 | 150 | 58 |
| FPXTBC75M46015058 | 460 | 150 | 58 |
| FPXTBC75M79010058 | 790 | 100 | 58 |

Perfex Tigerbond Matt - 75 micron (25/50)

A quality matt film designed for maximum adhesion and non-reflective finish to digitally printed surfaces. There may be some loss of sharpness as the light is diffused by the matt finish.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| EXTERN75M3177558 | 317 | 75 | 58 |
| FPXTBM75M31710058 | 317 | 100 | 58 |
| FPXTBM75M46015058 | 460 | 150 | 58 |
| FPXTBM75M79010058 | 790 | 100 | 58 |



CALL TOLLFREE : 0508 22 77 83

LIGHTWEIGHT FILM

Opti Clear Gloss - 38 Micron (15/23)

A light weight clear film suitable for laminating maps or single sided media.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|---------------|---------------|---------------|------|
| FAC0383000320 | 320 | 300 | 58 |
| FAC0383000685 | 685 | 300 | 77 |
| FAC0383000790 | 790 | 300 | 58 |

Opti Clear Matt - 38 Micron (15/23)

A light weight clear film suitable for laminating maps or single sided media. Matt surface provides good clarity with a silky smooth non-reflective surface.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|---------------|---------------|---------------|------|
| FAM0383000320 | 320 | 300 | 58 |

Saralam Premium Gloss - 37 micron (12/25)

A lightweight film that can be used to laminate maps or single sided media. This is a clear polyester film that is very economical for encapsulating with a glossy surface.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-----------------|---------------|---------------|------|
| FSPC37M31715058 | 317 | 150 | 58 |
| FSPC37M96530077 | 965 | 300 | 77 |

Saralam Premium Matt - 37 micron (12/25)

A premium lightweight film that can be used to laminate maps or single sided media. This will provide a non reflective, full matt, professional finish.

| | WIDTH | LENGTH | |
|------------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FSPM37M100030077 | 1000 | 300 | 77 |
| FSPM37M96530077 | 965 | 300 | 77 |
| FSPM37M155015077 | 1550 | 150 | 77 |

Perfex Premium Crystal Clear Gloss - 38 micron (12/26)

A premium lightweight film that can be used to laminate maps or single sided media. This is a clear polyester film used in wide format.

| | WIDTH | LENGTH | |
|-----------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FPC38M30515025I | 305 | 150 | 77 |
| FPC38M31715025 | 317 | 150 | 77 |

Perfex Premium Full Matt - 38 micron (12/26)

A premium lightweight film that can be used to laminate maps or single sided media. This will provide a non reflective, full matt, professional finish.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|----------------|---------------|---------------|------|
| FPM38M30515025 | 305 | 150 | 25 |
| FPM38M31715058 | 317 | 150 | 58 |



CALL TOLLFREE : 0508 22 77 83

HEAVIER FILM

Opti Clear Gloss - 125 micron (75/50)

An economic film with good stiffness, good clarity and good adhesion with a polyester content of 60%.

| | WIDTH | LENGTH | | |
|---------------|-------|--------|------|--|
| CODE | (mm) | (m) | CORE | |
| FAC1251001040 | 1040 | 100 | 58 | |

Saralam Premium Gloss - 250 micron

A lightweight polyester film that can be used to laminate maps or single sided media.

| | WIDTH | LENGTH | | |
|-----------------|-------|--------|------|--|
| CODE | (mm) | (m) | CORE | |
| FSPC250M3175058 | 317 | 50 | 58 | |



CALL TOLLFREE : 0508 22 77 83

PHOTOGRADE FILM

Perfex Premium Photograde Gloss - 75 micron (25/50)

A premium copy shop laminating film that operates on both heat shoe and hot roller laminators. This has a higher gloss with good adhesion and clarity with minimal adhesive spread. Not generally recommended for digital prints if an aggressive adhesive is required.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|----------------|---------------|---------------|------|
| FPC75M3057525I | 305 | 75 | 25IC |
| FPC75M3177525 | 317 | 75 | 25 |
| FPC75M6357525 | 635 | 75 | 25 |

Perfex Premium Photograde Matt - 75 micron (25/50)

A premium copy shop laminating film that can be used on both heat shoe and hot roller laminators. This provides a non reflective, full matt, professional finish. Not generally recommended for digital prints where an aggressive adhesive is required.

| CODE | WIDTH (mm) | LENGTH (m) | CORE | |
|-----------------|---------------|---------------|------|--|
| FPM75M3057525IC | 305 | 75 | 25IC | |
| FPM75M6357525 | 635 | 75 | 25 | |

Perfex Premium Photograde Gloss - 80 micron (50/30)

A thermal film with a high gloss and a level of stiffness that provides for a quality finish and high clarity. Using this film will minimise creasing and provide a greater level of protection. Not generally recommended for photograde prints if an aggressive adhesive is required.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|----------------|---------------|---------------|------|
| FPC80M24015058 | 240 | 150 | 58 |
| FPC80M3177525 | 317 | 75 | 25 |
| FPC80M3177558 | 317 | 75 | 58 |
| FPC80M31715058 | 317 | 150 | 58 |
| FPC80M79010058 | 790 | 100 | 58 |

Perfex Premium Photograde Matt - 80 micron (50/30)

A thermal film that can be used on both heat shoe and hot roller laminators. It provides a non reflective full matt professional finish. There may be the same loss of sharpness with diffusion from the matt film. Not generally recommended for digital prints if an aggressive adhesive is required.

| | WIDTH | LENGTH | |
|----------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FPM80M31710058 | 317 | 100 | 58 |
| FPM80M79010058 | 790 | 100 | 58 |

Perfex Premium Photograde Gloss - 100 micron (50/50)

A thicker thermal film at 100 micron that provides more rigidity. It provides a sharp, fresh and glossy finish. Suitable for both heat shoe and hot roller laminators. Not generally recommended for digital prints where an agressive adhesive may be required.

| CODE | WIDTH (mm) | LENGTH (m) | CORE | |
|-----------------|---------------|---------------|------|--|
| FPC100M3057558 | 305 | 75 | 58 | |
| FPC100M31710058 | 317 | 100 | 58 | |
| FPC100M79010058 | 790 | 100 | 58 | |



CALL TOLLFREE : 0508 22 77 83

PHOTOGRADE FILM continued...

Perfex Premium Photograde Matt - 100 micron (50/50)

A thicker thermal film at 100 micron that provides more rigidity with a full matt, non reflective professional finish. There may be some loss of sharpness with diffusion from the matt film. Not generally recommended for digital prints where an aggressive adhesive may be required.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-----------------|---------------|---------------|------|
| FPM100M3057558 | 305 | 75 | 58 |
| FPM100M31710058 | 317 | 100 | 58 |
| FPM100M31715058 | 317 | 150 | 58 |
| FPM100M45715058 | 457 | 150 | 58 |

Perfex Standard Photograde Matt - 125 micron (25/100)

A thick matt film that is suitable for use with photos and provides a high quality matt finish. Ideal for menus, labels, safety notices, charts etc. Although performing better on hot roller laminators it can still be used on heat shoe machines. Not generally recommended for digital prints where a more aggressive adhesive is required.

| | WIDTH | LENGTH | | |
|-----------------|-------|--------|------|--|
| CODE | (mm) | (m) | CORE | |
| FEM125M3055025I | 305 | 50 | 25IC | |

Perfex Standard Photograde Gloss - 250 micron (50/200)

A film that provides a quality finish with enhanced clarity that is suitable for use with photos and high quality print media with a sharp, fresh glossy finish.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-----------------|---------------|---------------|------|
| FEC250M31710058 | 317 | 100 | 58 |
| FEC250M3175058 | 317 | 50 | 58 |

Perfex Standard Photograde Matt - 250 micron (50/200)

A film that provides a quality finish with enhanced clarity that is suitable for use with photos and high quality print media with a classic professional matt finish.

| | WIDTH | LENGTH | |
|-----------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FEM250M3175058 | 317 | 50 | 58 |
| FEM250M50010058 | 500 | 100 | 58 |

Standard Photo Clear Gloss - 250 micron (50/200)

An economic film with good rigidity, high clarity, and good adhesion. It has a polyester content of 30%.

| | WIDTH | LENGTH | | |
|--------------|-------|--------|------|--|
| CODE | (mm) | (m) | CORE | |
| FS2500500320 | 320 | 50 | 77 | |



CALL TOLLFREE : 0508 22 77 83

LOW MELT FILM

Octiva Low Melt Light Crystal - 125 Micron (50/75)

A premium laminating film with a textured surface. Made in Europe this film has great adhesion, good clarity and good stiffness.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|----------------|---------------|---------------|------|
| FOLC1250500320 | 320 | 50 | 76 |
| FOLC1250500965 | 965 | 50 | 76 |
| FOLC1250501040 | 1040 | 50 | 76 |

LIGHT BLOCK FILM

Opti Light Block - 262 micron (162/100)

A white film with a metallised layer that blocks light transmission. Suitable for pop up multi panel display graphics.

| CODE | WIDTH (mm) | LENGTH (m) | CORE | |
|----------------|---------------|---------------|------|--|
| FALB2620500965 | 965 | 50 | 77 | |
| FALB2620501040 | 1040 | 50 | 77 | |



CALL TOLLFREE : 0508 22 77 83

BOPP FILM

Lamipro Thermal Polypropylene Laminating Film Gloss - 24 micron

An economical polypropylene based film (BOPP) that is used primarily for single sided laminating. A more malleable film with a softer surface compared to polyester based films. Curling will be reduced on single sided applications when using 250gsm plus media and can be eliminated altogether when using a decurling device. Suitable for bursting when doing overlap laminating. Normally laminated with a top heated roller. Can be used for double sided laminating on a hot roller laminator with care. Not recommended for digital prints under normal conditions.

| | WIDTH | LENGTH | |
|-----------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FLPC24M31520058 | 315 | 200 | 58 |
| FLPC24M31530058 | 315 | 300 | 58 |
| FLPC24M31550058 | 315 | 500 | 58 |
| FLPC24M35050058 | 350 | 500 | 58 |
| FLPC24M44530058 | 445 | 300 | 58 |

Lamipro Thermal Polypropylene Laminating Film Matt - 27 micron

A polypropylene based film (BOPP) that is used primarily for single sided laminating. A more malleable film with a softer surface compared to polyester based films. Curling will be reduced on single sided applications when using 250gsm plus media and can be eliminated altogether when using a decurling device. Suitable for bursting when doing overlap laminating. Normally laminated with a top heated roller. Can be used for double sided laminating on a hot roller laminator with care. Not recommended for digital prints under normal conditions. Also seen as a cost effective protective covering for indoor signage, displays etc.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-----------------|---------------|---------------|------|
| FLPM27M31530058 | 315 | 300 | 58 |
| FLPM27M31550058 | 315 | 500 | 58 |
| FLPM27M44530058 | 445 | 300 | 58 |

Alphapro Gloss - 24 micron

A biaxially oriented polypropylene film with a gloss finish specially designed for elegant laminations such as book covers, food packaging, posters and general packaging.

| | WIDTH | LENGTH | |
|-------------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FAPBC24M315300077 | 315 | 3000 | 77 |
| FAPBC24M320300077 | 320 | 3000 | 77 |
| FAPBC24M420300077 | 420 | 3000 | 77 |
| FAPBC24M445300077 | 445 | 3000 | 77 |
| FAPBC24M505300077 | 505 | 3000 | 77 |
| FAPBC24M635300077 | 635 | 3000 | 77 |
| FAPBC24M650300077 | 650 | 3000 | 77 |
| FAPBC24M715300077 | 715 | 3000 | 77 |
| FAPBC24M900300077 | 900 | 3000 | 77 |



CALL TOLLFREE : 0508 22 77 83

BOPP FILM continued

Alphapro Matt - 25 micron

A biaxially oriented polypropylene film with a matt finish specially designed for elegant laminations such as book covers, food packaging, posters and general packaging.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| FAPBM25M315300077 | 315 | 3000 | 77 |
| FAPBM25M320300077 | 320 | 3000 | 77 |
| FAPBM25M445300077 | 445 | 3000 | 77 |
| FAPBM25M505300077 | 505 | 3000 | 77 |
| FAPBM25M635300077 | 635 | 3000 | 77 |
| FAPBM25M650300077 | 650 | 3000 | 77 |
| FAPBM25M715300077 | 715 | 3000 | 77 |

Alphapro Matt Hard Coat - 30 micron

A biaxially oriented polypropylene film with a matt hard coat finish specially designed for elegant laminations such as book covers, food packaging, posters and general packaging requiring a scratch resistant surface.

| | WIDTH | LENGTH | |
|--------------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FAPHCM30M315200077 | 315 | 2000 | 77 |
| FAPHCM30M445200077 | 445 | 2000 | 77 |
| FAPHCM30M635200077 | 635 | 2000 | 77 |
| FAPHCM30M715200077 | 715 | 2000 | 77 |

Alphapro Silk - 34 micron

A biaxially oriented polypropylene film with a silk touch finish specially designed for elegant laminations such as book covers, food packaging, posters and general packaging.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| FAPSK34M31520058 | 315 | 200 | 58 |
| FAPSK34M315200077 | 315 | 2000 | 77 |
| FAPSK34M445200077 | 445 | 2000 | 77 |
| FAPSK34M715200077 | 715 | 2000 | 77 |

Polynex Tigerbond Gloss - 40 micron

A highly aggressive digital BOPP premium laminating film with a gloss finish adding real shine to your digital prints.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|--------------------|---------------|---------------|------|
| FPXTBC40M31520058 | 315 | 200 | 58 |
| FPXTBC40M31530077 | 315 | 300 | 77 |
| FPXTBC40M31530058 | 315 | 300 | 58 |
| FPXTBC40M315100077 | 315 | 1000 | 77 |
| FPXTBC40M360100077 | 360 | 1000 | 77 |
| FPXTBC40M44530058 | 445 | 300 | 58 |
| FPXTBC40M44530077 | 445 | 300 | 77 |
| FPXTBC40M445100077 | 445 | 1000 | 77 |



CALL TOLLFREE : 0508 22 77 83

BOPP FILM continued.

Polynex Tigerbond Matt - 40 micron

A highly aggressive digital BOPP premium laminating film with a matt finish with zero reflection adding a new depth to digital prints.

| | WIDTH | LENGTH | |
|--------------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FPXTBM40M31520058 | 315 | 200 | 58 |
| FPXTBM40M31530058 | 315 | 300 | 58 |
| FPXTBM40M31530077 | 315 | 300 | 77 |
| FPXTBM40M315100077 | 315 | 1000 | 77 |
| FPXTBM40M32030077 | 320 | 300 | 77 |
| FPXTBM40M320100077 | 320 | 1000 | 77 |
| FPXTBM40M360100077 | 360 | 1000 | 77 |
| FPXTBM40M44520058 | 445 | 200 | 58 |
| FPXTBM40M44530058 | 445 | 300 | 58 |
| FPXTBM40M44530077 | 445 | 300 | 77 |
| FPXTBM40M445100077 | 445 | 1000 | 77 |

Polynex Tigerbond Silk Touch - 36 micron

A highly aggressive digital BOPP premium laminating film with a matt velvet finish for an exceptional feel and silky appearance.

| | WIDTH | LENGTH | |
|--------------------|-------|--------|------|
| CODE | (mm) | (m) | CORE |
| FPSKTBS36M31520058 | 315 | 200 | 58 |



CALL TOLLFREE : 0508 22 77 83

SPECIALTY FILM

Sarafil Polyester Backing Film - 12 micron

This clear PET film is suitable for use as backing film under cold PSA films to enable different sizes of media to be laminated without impacting on the laminating process.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-----------------|---------------|---------------|------|
| FPETWRAP1040500 | 1040 | 500 | 77 |
| FPETWRAP1270500 | 1270 | 500 | 77 |
| FPETWRAP1400500 | 1400 | 500 | 77 |
| FPETWRAP1550500 | 1550 | 500 | 77 |

Sleeking Fusing Foil Heat Transfer Film Gloss - 25 micron

These heat transfer films can be used up to 10 times before replacement is required.

| | WIDTH | LENGTH | | |
|------------------|-------|--------|------|--|
| CODE | (mm) | (m) | CORE | |
| FSLKC25M32020058 | 320 | 200 | 58 | |

Sleeking Fusing Foil Heat Transfer Film Metalic - 25 micron

These heat transfer films are for single use only.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| FFOILSILV32010058 | 320 | 100 | 58 |
| FFOILGOLD32020058 | 320 | 200 | 58 |

Supermelt Gloss - 25 micron

This clear PET film is suitable for use as backing film under cold PSA films to enable different sizes of media to be laminated without impacting on the laminating process.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| FSMBC25M315200077 | 315 | 2000 | 77 |
| FSMBC25M445200077 | 445 | 2000 | 77 |

Supermelt Matt - 25 micron

This clear PET film is suitable for use as backing film under cold PSA films to enable different sizes of media to be laminated without impacting on the laminating process.

| CODE | WIDTH (mm) | LENGTH (m) | CORE |
|-------------------|---------------|---------------|------|
| FSMBM26M315200077 | 315 | 2000 | 77 |
| FSMBM26M445200077 | 445 | 2000 | 77 |