

Rigids Catalogue

- Display Board
- Display Board Outdoor
- Corrugated Board
- Honeycomb Board
- Foam PVC
- Foam Board Indoor

- Foam Board Outdoor
- Flute PP

- Polypropylene
- Composite Panel
- Tools & Accessories

TABLE OF CONTENTS

Product

DISPLAY BOARD

Classic Single-Sided Board

Ultra Single-Sided Board

Ultra Double-Sided Board

Ultra Display Board

Evolution Board

KATZ Indoor Display Board Glazed

KATZ Display Board Neon & Black

DISPLAY BOARD OUTDOOR

KATZ Outdoor Display Board

CORRUGATED BOARD

Koru Corrugated Board

Koru Corrugated Board Clay Coated

HONEYCOMB BOARD

Honeycomb Board

FOAM PVC

Excelfoam PVC Board

В

3

.

4

TABLE OF CONTENTS

Product Page FOAM BOARD INDOOR 5 **POP Foam Board** POP Foam Board Heavy Duty POP Foam Board Specialty FOAM BOARD OUTDOOR 6 Viscom Digital Foam Board Viscom Edge Protect Tape **FLUTE PP** 6 **Onyx Flute** POLYPROPYLENE **ViPrint Polypropylene** ViPrint Eco Polypropylene **ViPrint Clear Polypropylene** COMPOSITE PANEL 8

Masterbond ACP Aluminium

Masterbond SCP Steel

TOOLS & ACCESSORIES

3M™VHB Tapes Knives Media Hanging 9

DISPLAY BOARD

Classic Single-Sided Board

Classic Single-Sided Board is a coated white back board with exceptional yield and an ultra smooth surface that delivers sharp, clean images. FDA certified for direct contact with food products. It is ideal for high-end print runs, and suitable for a wide range of graphical and packaging applications.

CODE	WEIGHT /	DIMENSIONS	MIN ORDER
	THICKNESS	(mm)	(sheets)
RGCLASIN-1250/2500	370 gsm / 600µ	1250 x 2500	50 + 1

Ultra Single-Sided Board

Ultra Single-Sided Board is a premium coated, ultra white, solid bleached sulphate board ideally suited to high end printing and graphics work. It is FDA approved making it safe for food packaging and is suitable for embossing, foiling, die-cutting, scoring and folding.

CODE	WEIGHT /	DIMENSIONS	MIN ORDER
	THICKNESS	(mm)	(sheets)
RGULTSIN-1250/2500	300 gsm / 406μ	1250 x 2500	50 + 1

High Bulk - Single/Double Sided Board

High Bulk - Single/Double Sided Board is a coated white back board with exceptional yield and an ultra smooth surface that delivers sharp, clean images. FDA certified for direct contact with food products. It is ideal for high-end print runs, and suitable for a wide range of graphical and packaging applications.

CODE	WEIGHT /	DIMENSIONS	MIN ORDER
	THICKNESS	(mm)	(sheets)
RGBULK600UM-1250/2500	355 gsm / 600µ	1250 x 2500	50 + 1

Ultra Double-Sided Board

Ultra Double-Sided Board is a premium coated, ultra white, solid bleached sulphate board ideally suited to high end printing and graphics work. It is FDA approved making it safe for food packaging and is suitable for embossing, foiling, die-cutting, scoring and folding.

	WEIGHT /	DIMENSIONS	MIN ORDER	
CODE	THICKNESS	(mm)	(sheets)	
RGULTDUA-1250/2500	380 gsm / 508μ	1250 x 2500	50 + 1	*

LARQUEGROUP

PARTNER OF CHOICE

DISPLAY BOARD continued...

Ultra Display Board

Ultra Display Board is a double-sided high-white screenboard suitable for digital print. Ideal for internal displays and POS.

CODE		THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGDISULT-1.0-1820	Available on Indent	1.0	1820 x 1280	20 + 1 📩
RGDISULT-1.0-2500		1.0	1250 x 2500	20 + 1 🛪
RGDISULT-1.5-1820	Available on Indent	1.5	1820 x 1280	20 + 1 📩
RGDISULT-1.5-2500		1.5	1250 x 2500	20 + 1 😾
RGDISULT-2.0-2300		2.0	1250 x 2300	20 + 1

KATZ Indoor Display Board Glazed

KATZ Indoor Display Board Glazed is a semi-matt double-sided board with a high white surface, providing excellent printing results and dimensional stability. Ideal for POS signage, promotional items hanging displays, shop & interior design, exhibition design & stands and free standing display units. It has excellent, consistent 'stay flat' properties, a superior cut-edge & outstanding print surface, making it perfect for even the most demanding images & creative applications. KATZ Display Board Glazed is fully biodegradable & easily recyclable.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGKATZIND-1.2-2300	1.2	1220 x 2300	15 + 1
RGKATZIND-2.0-2300	2.0	1220 x 2300	15 + 1
RGKATZIND-2.0-2440	2.0	1220 x 2 <i>44</i> 0	15 + 1
RGKATZIND-4.0-2300	4.0	1220 x 2300	15 + 1
RGKATZIND-5.0-2300	5.0	1220 x 2300	15 + 1

KATZ Display Board Neon & Black

KATZ Indoor Display Board Neon & Black is a range of double-sided board featuring coloured paper on both sides. Available in black, plus four neon colours, they are ideal for eyecatching POS signage, promotional items, shop & interior design, hanging displays and exhibition design & stands. Featureing excellent, consistent 'stay flat' properties, a superior cut-edge & outstanding print surface, making it perfect for even the most demanding images & creative applications. The range of KATZ Display Board Colours are fully biodegradable & easily recyclable.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGKATZBLACK-1.6-860	1.6	610 x 860	10 + 1 🚽
RGKATZGREEN-1.6-860	1.6	610 x 860	10 + 1
RGKATZORANGE-1.6-860	1.6	610 x 860	10 + 1
RGKATZPINK-1.6-860	1.6	610 x 860	10 + 1
RGKATZYELLOW-1.6-860	1.6	610 x 860	10 + 1

DISPLAY BOARD OUTDOOR

KATZ Outdoor Display Board

KATZ Outdoor Display is a double-sided water resistant display board for short-term outdoor use. Ideal for POS applications such as signage, displays, shop design and decoration. The board features a high white surface, excellent printing results and dimensional stability. It is easy to handle, provides simple high quality processing and its natural product substances protect the environment and reduce disposal costs.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGKATZOUT-1.2-2300	1.2	1220 x 2300	15 + 1
RGKATZOUT-2.0-2300	2.0	1220 x 2300	15 + 1

CORRUGATED BOARD

Koru Corrugated Board

Koru Corrugated Board is a light-weight versatile eco-friendly substrate which maintains rigidity whilst offering the flexibility of cutting and creasing. Ideal for printing direct or mounting.

CODE	FINISH	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGFLUTE-E-1550	White / White	1.5	1550 x 2200	25 + 1
RGFLUTE-B-1550	White / White	3.0	1550 x 2200	25 + 1
RGFLUTE-B-1670	White / White	3.0	1670 x 2385	25 + 1
RGFLUTE-EB-1550	White / White	4.5	1550 x 2200	25 + 1
RGFLUTE-EB-2200	White / Kraft	4.5	2200 x 1550	25 + 1
RGFLUTEKRAFT-B-1550	Kraft / Kraft	3.0	1550 x 2200	25 + 1

Koru Corrugated Board Clay Coated

Koru Corrugated Board is a light-weight versatile eco-friendly substrate which maintains rigidity whilst offering the flexibility of cutting and creasing. Ideal for printing direct or mounting. The clay-coated product has a smooth white surface for superior printing results.

CODE	FINISH	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGFLUTE-ECC-1550	White Clay Coated / White	1.5	1550 x 2200	25 + 1
RGFLUTE-BCC-1550	White Clay Coated / White	3.0	1550 x 2200	25 + 1

HONEYCOMB BOARD

Honeycomb Board

Honeycomb Board is a premium honeycomb core board with print grade surfaces in either kraft or white finishes. It is able to be bent and v-cut and the recycled paper honeycomb core provides good load capacity, making it ideal in the construction of exhibition furniture. This premium quality printable board is 100% recyclable and adds to our growing list of environmentally friendly offerings.

CODE	FINISH	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGHCCOREW-10-2440	White / White	10.0	1220 x 2440	15
RGHCCOREW-16-2440	White / White	16.0	1220 x 2440	10
RGHCCOREK-16-2440	Kraft / Kraft	16.0	1220 x 2440	10
RGHCCOREALLWHT-10-2440	White / White	10.0	1220 x 2440	15

FOAM PVC

Excelfoam PVC Board

Excelfoam PVC Board is a range of lightweight, bright white fine cell foam panels with double-sided smooth printable surfaces. The premium panels are extremely versatile, easy-to-fabricate and produce excellent prints, making them ideal for visual merchandising applications, high quality POP displays, store fixtures and digitally printed signage. Other features include excellent impact strength, chemical and moisture resistant, low flammability, non-corrosive and non-toxic.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGEXCELFOAM-3-1220	3.0	2440 x 1220	10
RGEXCELFOAM-4-1220	4.0	2440 x 1220	6

FOAM BOARD INDOOR

POP Foam Board

POP Foam Board is a ight weight polystyrene foam core board with clay coated matt art paper on both sides. The board is easy-to-cut, very versatile, but strong for use in interior applications. Ideal for wide variety of application in the field of digital printing, framing, mounting, point-of-purchase advertising, signage, models, exhibits, presentation and graphic arts with features of creativity, lightweight and movability.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGPOPECO5-1220	5.0	1220 x 2440	20
RGPOPECO10-1220	10.0	1220 x 2440	10

POP Foam Board Heavy Duty

POP Foam Board Heavy Duty is a double-sided paper coated, polystyrene foam core board with an aluminium layer on both sides. It is ideal for heavy-duty mounting and large format displays including point-of-purchase advertising, signage, models, exhibits, presentation and graphic arts which require added strength due to the size or nature of the display.

		THICKNESS	DIMENSIONS	MIN ORDER
CODE	FINISH	(mm)	(mm)	(sheets)
RGPOPSOLB5-1220	Black	5.0	1220 x 2440	20

POP Foam Board Specialty

POP Foam Board Specialty is a range of polystyrene foam core board products with various finishes to produce unique prints. The boards are is easy-to-cut, very versatile, but strong for use in interior applications. Ideal for wide variety of applications in the field of digital printing, framing, mounting, point-of-purchase advertising, signage, models, exhibits and graphic arts.

Gold & Silver : Double-sided metallized paper finish

Kraft : Double-sided brown kraft paper finish

Canvas : Double-sided deep embossed canvas texture finish

CODE	FINISH	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)	
RGPOPCAN5-1220	Canvas	5.0	1220 x 2440	20	*
RGPOPKRAFT5-1220	Kraft	5.0	1220 x 2440	20	*
RGPOPGOLD5-1000	Gold	5.0	1000 x 2000	20	*
RGPOPSIL5-1000	Silver	5.0	1000 x 2000	20	*

FOAM BOARD OUTDOOR

Viscom Digital Foam Board

Viscom Sign Easyprint is a lightweight PVC-free foam board with an extruded polystyrene core and dual-sided Stadurlon compact sheets providing optimum printing and handling results. After milling slots or v-shaped grooves the product can be bent or folded without breaking due to the high-performance Stadurlon PVC-free sheets. Ideal for both indoor and outdoor applications, with exceptional weather, humidity and scratch resistance.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGVIS5-1220	5.0	1220 x 2440	N/A
RGVIS10-1220	10.0	1220 x 2440	N/A
RGVIS10-1530	10.0	1530 x 3050	N/A
RGVIS10-2030	10.0	2030 x 3050	N/A
RGVIS19-1220	19.0	1220 x 2440	N/A
RGVIS19-1530	19.0	1530 x 3050	N/A

Viscom Edge Protect Tape

Viscom Edge Protect Tape is a self-adhesive tape designed for application onto the open edges of display boards. It is very flexible and can be used direct from the roll onto straight, angled and round shapes.

MIN ORDER
(rolls)
N/A
N/A
N/A
N/A
_

FLUTE PP

Onyx Flute

Onyx Flute is a corrugated twin wall polypropylene sheeting designed for signage, displays, packaging, protection of surfaces and many other industrial applications. It combines lightweight with high strength, durability and impact resistance. It is also nontoxic, UV stabilised as well as water and chemical resistant, making it weatherproof for any environment. Furthermore, Onyx Flute is food grade approved and 100% recyclable.

THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
3.3	1200 x 900	40
3.3	1220 x 1830	20
3.3	1220 x 2440	20
5.0	600 x 900	40
5.0	900 x 1200	20
5.0	1220 x 1830	10
5.0	1220 x 2440	10
	(mm) 3.3 3.3 3.3 5.0 5.0 5.0	(mm) (mm) 3.3 1200 x 900 3.3 1220 x 1830 3.3 1220 x 2440 5.0 600 x 900 5.0 900 x 1200 5.0 1220 x 1830

AARQUEGROUP

PARTNER OF CHOICE

POLYPROPYLENE

ViPrint Polypropylene

ViPrint Polypropylene is designed to meet the creative demands of the graphic arts industry. It has been corona treated on both sides so it can be printed and decorated using different techniques (digital, screen or offset printing, embossing, hot foil and stamping). ViPrint has many exceptional qualities such as infinite hinging capabilities. ViPrint can also be folded and creased using traditional die-cutting techniques. It offers some of the best chemical and moisture resistance in class. The most popular uses for ViPrint are ring binders, bespoke packaging and interior signage.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGPOLYP-0.4-1200	0.4	800 x 1200	50 🛪
RGPOLYP-0.4-2440	0.4	1220 x 2440	30
RGPOLYP-0.6-1200	0.6	800 x 1200	50 🛪
RGPOLYP-0.6-2440	0.6	1220 x 2440	20
RGPOLYP-0.8-2440	0.8	1220 x 2440	15
RGPOLYP-1.4-2440	1.4	1220 x 2440	8
RGPOLYP-2.0-2440	2.0	1220 x 2440	5

ViPrint Eco Polypropylene

ViPrint Eco Polypropylene is a range of low density, lightweight polypropylene sheets designed to meet the creative demands of the graphic arts industry. Produced with 50% post-industrial recycled content, it is an environmentally friendly choice. It has been corona treated on both sides so it can be printed then finished in a variety of ways including folding, creasing and die-cutting. The most popular uses for ViPrint Eco are promotions signage, panel & display, labelling, promotion cases/ring binders and bespoke packaging.

	THICKNESS	DIMENSIONS	MIN ORDER
CODE	(mm)	(mm)	(sheets)
RGPOLYPECO-0.6-2440	0.6	1220 x 2440	20 ★

ViPrint Clear Polypropylene

ViPrint Clear Polypropylene is a range of transparent low density, lightweight polypropylene sheets designed to meet the creative demands of the graphic arts industry. It has been corona treated on both sides so it can be printed then finished in a variety of ways including folding, creasing and die-cutting. The most popular uses for ViPrint Clear are promotional cases, luxury packaging, promotional items, small POS, notebook covers, sationary items and healthcare cough / sneeze visors.

CODE	THICKNESS (mm)	DIMENSIONS (mm)	MIN ORDER (sheets)
RGPOLYPCLR-0.5-1200	0.5	800 x 1200	20
RGPOLYPCLR-0.8-1200	0.8	800 x 1200	20

COMPOSITE PANEL

Masterbond ACP Aluminium

Masterbond ACP Aluminium is a double-sided composite panel made from aluminium composite materials. Ideal for signs, way finding, POS displays, shop-fitting, exhibition design and many other applications. The high grade aluminium skins of the panel have a flat, smooth, uniform surface to help produce vibrant, colour-fast prints, along with the ability to be fabricated, folded and formed.

CODE	FINISH	THICKNESS	DIMENSIONS (mm)	MIN ORDER (sheets)
RGMB3-0.3MG-1220	Matte / Gloss	3mm / 0.3mil	1220 x 2440	N/A
RGMB3-0.3MG-1500	Matte / Gloss	3mm / 0.3mil	1500 x 3050	N/A
RGMB4-0.2MG-1220	Matte / Gloss	4mm / 0.2mil	1220 x 2440	N/A
RGMB4-0.2MG-1500	Matte / Gloss	4mm / 0.2mil	1550X3000	N/A
RGMB3-0.2MM-1220	Matte / Matte	3mm / 0.2mil	1220 x 2440	N/A
RGMB3-0.2MM-1500	Matte / Matte	3mm / 0.2mil	1500 x 3050	N/A
RGMB3-0.3MM-1220	Matte / Matte	3mm / 0.3mil	1220 x 2440	N/A
RGMB3-0.3MM-1500	Matte / Matte	3mm / 0.3mil	1500 x 3050	N/A
RGMB4-0.2GP-1220	Gloss / Primer	4mm / 0.2mil	1220 x 2440	N/A
RGMB4-0.2GP-1500	Gloss / Primer	4mm / 0.2mil	1500 x 3050	N/A
RGMB4-0.3GP-1220	Gloss / Primer	4mm / 0.3mil	1220 x 2440	N/A
RGMB4-0.3GP-1500	Gloss / Primer	4mm / 0.3mil	1500 x 3050	N/A
RGMB4-0.25RP-1220	Red / Primer	4mm / 0.25mil	1220 x 2440	N/A
RGMB4-0.25RP-1500	Red / Primer	4mm / 0.25mil	1500 x 3050	N/A
RGMB4-0.3MP-1220	Matte / Primer	4mm / 0.3mil	1220 x 2440	N/A \star
RGMB4-0.3MP-1500	Matte / Primer	4mm / 0.3mil	1500 x 3050	N/A ×
RGMB4-0.25RW-1220	Red / White	4mm / 0.25mil	1220 x 2440	N/A
RGMB4-0.25RW-1500	Red / White	4mm / 025mil	1500 x 3050	N/A
RGMB3-0.3BS-1220	Brush / Silver	3mm / 0.3mil	1220 x 2440	N/A *
RGMB3-0.3BS-1500	Brush / Silver	3mm / 0.3mil	1500 x 3050	N/A *
RGMB3-0.3BLGM-1220	Blue Gloss / Matte	3mm / 0.3mil	1220 x 2440	N/A
RGMB3-0.3BGM-1220	Black Gloss / Matte	3mm / 0.3mil	1220 x 2440	N/A
RGMB3-0.3BGM-1500	Black Gloss / Matte	3mm / 0.3mil	1500 x 2440	N/A
RGMB4-0.2BKGM-1220	Black Gloss / Matte	4mm / 0.2mil	1220 x 2440	N/A *
RGMB4-0.2BKGM-1500	Black Gloss / Matte	4mm / 0.2mil	1500 x 3050	N/A *
RGMB4-0.2RGM-1220	Red Gloss / Matte	4mm / 0.2mil	1220 x 2440	N/A

Masterbond SCP Steel

Masterbond SCP Steel is a double-sided composite panel offering greater strengthened rigidity. Ideal for hoardings, whiteboards, printing and many other applications. The galvanised steel skins of the panel have a flat, smooth, uniform surface, one side with a digital coating to help produce vibrant, colour-fast prints and the other wide with a whiteboard coating.

			DIMENSIONS	MIN ORDER
CODE		THICKNESS	(mm)	(sheets)
RGMB3-0.25SWM-1220	Whiteboard / Digital	3mm / 0.25mil	1220 x 2440	N/A



TOOLS & ACCESSORIES

3M™ VHB Tapes

CODE	DESCRIPTION	UNIT
3M5952-19S	3M 5952 VHB TAPE BLACK 19 X 13.7	Roll
3M5952-19L	3M 5952 VHB TAPE BLACK 19 X 33	Roll
3M4910-19S	3M 4910 VHB TAPE CLEAR 19 X 13.7	Roll
3M4910-19L	3N 4910 VHB TAPE CLEAR 19 X 33	Roll
3M4941-19	3M 4941 VHB TAPE GREY 19 X 33	Roll
3M4941-25.4	3M 4941 VHB TAPE GREY 25.4 X 33	Roll

Knives

CODE	DESCRIPTION	UNIT
COROCLAW	SAW TRAX CORO-CLAW 4MM (YELLOW)	Each
BIDDIKNIFE	SAW TRAX BIDDI SAFETY KNIFE	Each
AVERYKNIFE	AVERY SNITTY SAFETY CUTTER	Each
KNIFE30D	AVERY 30 DEGREE KNIFE	Each
ABLADES	AVERY SPARE BLADES (30D) BOX 15	Box 15

Media Hanging

CODE	DESCRIPTION	UNIT
PICKHOOK-20	PICK N HOOK FOR COREFLUTE	Pkt 20
TWISTHOOK-20	TWIST N HOOK FOR FOAMBOARD	Pkt 20